
tryton-proteus Documentation

Release 4.0

Nov 24, 2018

Contents

1	Installing	3
2	Example of usage	5
2.1	Configuration	5
2.2	Installing a module	5
2.3	Creating a party	5
2.4	Setting the language of the party	6
2.5	Creating an address for the party	6
2.6	Adding category to the party	6
2.7	Print party label	7
3	Support	9
4	License	11
5	Copyright	13

A library to access Tryton's models like a client.

CHAPTER 1

Installing

See INSTALL

Example of usage

```
>>> from proteus import config, Model, Wizard, Report
```

2.1 Configuration

Configuration to connect to a sqlite memory database using trytond as module.

```
>>> config = config.set_trytond('sqlite:///memory:')
```

2.2 Installing a module

Find the module, call the install button and run the install wizard.

```
>>> Module = Model.get('ir.module')
>>> party_module, = Module.find([('name', '=', 'party')])
>>> party_module.click('install')
>>> Wizard('ir.module.install_upgrade').execute('upgrade')
```

2.3 Creating a party

First instantiate a new Party:

```
>>> Party = Model.get('party.party')
>>> party = Party()
>>> party.id < 0
True
```

Fill the fields:

```
>>> party.name = 'ham'
```

Save the instance into the server:

```
>>> party.save()
>>> party.name
u'ham'
>>> party.id > 0
True
```

2.4 Setting the language of the party

The language on party is a *Many2One* relation field. So it requires to get a *Model* instance as value.

```
>>> Lang = Model.get('ir.lang')
>>> (en,) = Lang.find([('code', '=', 'en_US')])
>>> party.lang = en
>>> party.save()
>>> party.lang.code
u'en_US'
```

2.5 Creating an address for the party

Addresses are store on party with a *One2Many* field. So the new address just needs to be appended to the list *addresses*.

```
>>> address = party.addresses.new(zip='42')
>>> party.save()
>>> party.addresses
[proteus.Model.get('party.address') (...)]
```

2.6 Adding category to the party

Categories are linked to party with a *Many2Many* field.

So first create a category

```
>>> Category = Model.get('party.category')
>>> category = Category()
>>> category.name = 'spam'
>>> category.save()
```

Append it to categories of the party

```
>>> party.categories.append(category)
>>> party.save()
>>> party.categories
[proteus.Model.get('party.category') (...)]
```

2.7 Print party label

There is a label report on *Party*.

```
>>> label = Report('party.label')
```

The report is executed with a list of records and some extra data.

```
>>> type_, data, print_, name = label.execute([party], {})
```


CHAPTER 3

Support

If you encounter any problems with Tryton, please don't hesitate to ask questions on the Tryton bug tracker, mailing list, wiki or IRC channel:

<http://bugs.tryton.org/> <http://groups.tryton.org/> <http://wiki.tryton.org/> <irc://irc.freenode.net/tryton>

CHAPTER 4

License

See LICENSE

CHAPTER 5

Copyright

See COPYRIGHT

For more information please visit the Tryton web site:

<http://www.tryton.org/>